


Locking Compression Plate System

Brochure



TRAUSON®

Trauson(China) Medical Instrument Co., Ltd

Add:No.9 Long Men Road, Wujin Hi-Tech Industrail Zone, 213164, Changzhou City, Jiangsu Province. P.R.C.
Tel:86-519-86387075 Fax:86-519-86387279 Email:info@trauson.com http://www.trauson.com

Locking Compression Plate System

Indications

- The Locking Compression Plate System is indicated for internal fixation of fractures of the Clavicle, Humerus, Radius, Ulna, Femur, Tibia, Fibula, Calcaneus, Pelvis as well as osteopenic and peri-articular fractures. It may also be used in revision surgery of pseudoarthrosis, non-union and mal-union. Osteotomies, arthrodesis and ligament reattachment may also be performed using these implants with the applicable operative technique.

Features & Benefits

- Locking screw has large core diameter that supports improved bending and shear strength, and distributes the load over a large area in the bone.
- Double-lead thread and self-tapping flutes reduce screw insertion time
- Stardrive recess allows improved torque transmission, increased resistance to stripping relative to a hexagonal recess
- Under-cut K-wire/suture holes for easy tendering the tendon to the plate
- Anatomically shaped plate designs, reduce plate bending
- Periarticular locking holes have pre-determined multidirections which allow insertion screws to support the articular surface.
- Angular stability prevents primary and secondary loss of reduction, especially for osteopenic bones
- Round locking hole shaft design provides reduced potential for cross threading and cold welding
- Single locking holes provide improved strength.
- Rounded and tapered plate ends support percutaneous plate insertion
- Undersurface cut-out on the shaft of the plate provides uniform stiffness
- Insertion guide for sure insert drill guide, which prevents the risk of cross-threading the screw to the plate
- Ease-of-use instruments



Implants

Small T-Plates II (head holes 3)

| P/N(Ti) | Holes |
|-----------|-------|
| 32801030E | 3H |
| 32801040E | 4H |
| 32801050E | 5H |
| 32801060E | 6H |
| 32801070E | 7H |
| 32801080E | 8H |



Small T-Plates II (head holes 4)

| P/N(Ti) | Holes |
|-----------|-------|
| 32804030E | 3H |
| 32804040E | 4H |
| 32804050E | 5H |
| 32804060E | 6H |
| 32804070E | 7H |
| 32804080E | 8H |



Locking Compression Plate System

Oblique Radius T-Plates II

| P/N(Ti) | Holes | L/R |
|-----------|-------|-----|
| 32803031E | 3H | L |
| 32803041E | 4H | L |
| 32803051E | 5H | L |
| 32803061E | 6H | L |
| 32803071E | 7H | L |
| 32803081E | 8H | L |
| 32803032E | 3H | R |
| 32803042E | 4H | R |
| 32803052E | 5H | R |
| 32803062E | 6H | R |
| 32803072E | 7H | R |
| 32803082E | 8H | R |



3.5 Proximal Lateral Humeral Plate II

| P/N(Ti) | Holes |
|-----------|-------|
| 32818020E | 2H |
| 32818030E | 3H |
| 32818040E | 4H |
| 32818050E | 5H |
| 32818060E | 6H |
| 32818070E | 7H |
| 32818080E | 8H |
| 32818090E | 9H |
| 32818100E | 10H |
| 32818110E | 11H |
| 32818120E | 12H |



Clavicle Diaphysis Plate II

| P/N(Ti) | Holes | L/R |
|-----------|-------|-----|
| 32817061E | 6H | L |
| 32817062E | 6H | R |
| 32817071E | 7H | L |
| 32817072E | 7H | R |
| 32817081E | 8H | L |
| 32817082E | 8H | R |
| 32817091E | 9H | L |
| 32817092E | 9H | R |
| 32817101E | 10H | L |
| 32817102E | 10H | R |
| 32817111E | 11H | L |
| 32817112E | 11H | R |
| 32817121E | 12H | L |
| 32817122E | 12H | R |



Clavicle Hook Plate IV

| P/N(Ti) | Holes | M | L/R |
|-----------|-------|----|-----|
| 32819051E | 5H | 14 | L |
| 32819052E | 5H | 14 | R |
| 32819061E | 6H | 14 | L |
| 32819062E | 6H | 14 | R |
| 32819071E | 7H | 14 | L |
| 32819072E | 7H | 14 | R |
| 32810051E | 5H | 17 | L |
| 32810052E | 5H | 17 | R |
| 32810061E | 6H | 17 | L |
| 32810062E | 6H | 17 | R |
| 32810071E | 7H | 17 | L |
| 32810072E | 7H | 17 | R |



Proximal Lateral Humerus Plate IV

| P/N(Ti) | Holes | L/R |
|-----------|-------|-----|
| 32813031E | 3H | L |
| 32813041E | 4H | L |
| 32813051E | 5H | L |
| 32813061E | 6H | L |
| 32813071E | 7H | L |
| 32813081E | 8H | L |
| 32813032E | 3H | R |
| 32813042E | 4H | R |
| 32813052E | 5H | R |
| 32813062E | 6H | R |
| 32813072E | 7H | R |
| 32813082E | 8H | R |



Distal Posterior/Lateral Humeral Plate II

| P/N(Ti) | Holes | L/R |
|-----------|-------|-----|
| 32825041E | 4H | L |
| 32825061E | 6H | L |
| 32825081E | 8H | L |
| 32825101E | 10H | L |
| 32825121E | 12H | L |
| 32825042E | 4H | R |
| 32825062E | 6H | R |
| 32825082E | 8H | R |
| 32825102E | 10H | R |
| 32825122E | 12H | R |



Clavicle Hook Plate V

| P/N(Ti) | Holes | L/R |
|-----------|-------|-----|
| 32821041E | 4H | L |
| 32821042E | 4H | R |



Distal Medial Humeral Plate II

| P/N(Ti) | Holes | L/R |
|-----------|-------|-----|
| 32824031E | 3H | L |
| 32824051E | 5H | L |
| 32824071E | 7H | L |
| 32824091E | 9H | L |
| 32824111E | 11H | L |
| 32824131E | 13H | L |
| 32824151E | 15H | L |
| 32824032E | 3H | R |
| 32824052E | 5H | R |
| 32824072E | 7H | R |
| 32824092E | 9H | R |
| 32824112E | 11H | R |
| 32824132E | 13H | R |
| 32824152E | 15H | R |



Calcaneal Plate VIII

| P/N(Ti) | Specification | L/R |
|-----------|---------------|-----|
| 32848511E | 51mm | L |
| 32849601E | 60mm | L |
| 32850681E | 68mm | L |
| 32848512E | 51mm | R |
| 32849602E | 60mm | R |
| 32850682E | 68mm | R |



Distal Medial Tibia Plate II

| P/N(Ti) | Holes | L/R |
|-----------|-------|-----|
| 32807051E | 5H | L |
| 32807071E | 7H | L |
| 32807091E | 9H | L |
| 32807111E | 11H | L |
| 32807131E | 13H | L |
| 32807052E | 5H | R |
| 32807072E | 7H | R |
| 32807092E | 9H | R |
| 32807112E | 11H | R |
| 32807132E | 13H | R |



Proximal Dorsal Ulna Plate II

| P/N(Ti) | Holes | L/R |
|-----------|-------|-----|
| 32822041E | 4H | L |
| 32823061E | 6H | L |
| 32823081E | 8H | L |
| 32823101E | 10H | L |
| 32823121E | 12H | L |
| 32823141E | 14H | L |
| 32822042E | 4H | R |
| 32823062E | 6H | R |
| 32823082E | 8H | R |
| 32823102E | 10H | R |
| 32823122E | 12H | R |
| 32823142E | 14H | R |



Proximal Lateral Tibia Plate IV

| P/N(Ti) | Holes | L/R |
|-----------|-------|-----|
| 32815051E | 5H | L |
| 32815071E | 7H | L |
| 32815091E | 9H | L |
| 32815111E | 11H | L |
| 32815052E | 5H | R |
| 32815072E | 7H | R |
| 32815092E | 9H | R |
| 32815112E | 11H | R |



Distal Femur Plate II

| P/N(Ti) | Holes | L/R |
|-----------|-------|-----|
| 32830051E | 5H | L |
| 32830061E | 6H | L |
| 32830071E | 7H | L |
| 32830081E | 8H | L |
| 32830091E | 9H | L |
| 32830101E | 10H | L |
| 32830111E | 11H | L |
| 32830121E | 12H | L |
| 32830131E | 13H | L |
| 32830141E | 14H | L |
| 32830052E | 5H | R |
| 32830062E | 6H | R |
| 32830072E | 7H | R |
| 32830082E | 8H | R |
| 32830092E | 9H | R |
| 32830102E | 10H | R |
| 32830112E | 11H | R |
| 32830122E | 12H | R |
| 32830132E | 13H | R |
| 32830142E | 14H | R |



Locking Compression Plate System

Proximal Lateral Tibia Plate VII

| P/N(Ti) | Holes | L/R |
|-----------|-------|-----|
| 32847021E | 2H | L |
| 32847022E | 2H | R |
| 32847031E | 3H | L |
| 32847032E | 3H | R |
| 32847041E | 4H | L |
| 32847042E | 4H | R |
| 32847051E | 5H | L |
| 32847052E | 5H | R |
| 32847061E | 6H | L |
| 32847062E | 6H | R |
| 32847071E | 7H | L |
| 32847072E | 7H | R |
| 32847081E | 8H | L |
| 32847082E | 8H | R |
| 32847091E | 9H | L |
| 32847092E | 9H | R |
| 32847101E | 10H | L |
| 32847102E | 10H | R |
| 32847111E | 11H | L |
| 32847112E | 11H | R |
| 32847121E | 12H | L |
| 32847122E | 12H | R |
| 32847131E | 13H | L |
| 32847132E | 13H | R |
| 32847141E | 14H | L |
| 32847142E | 14H | R |



Distal Lateral Tibia Plate II

| P/N(Ti) | Holes | L/R |
|-----------|-------|-----|
| 32806051E | 5H | L |
| 32806071E | 7H | L |
| 32806091E | 9H | L |
| 32806111E | 11H | L |
| 32806131E | 13H | L |
| 32806052E | 5H | R |
| 32806072E | 7H | R |
| 32806092E | 9H | R |
| 32806112E | 11H | R |
| 32806132E | 13H | R |



Proximal Lateral Femur Plate III

| P/N(Ti) | Holes | L/R |
|-----------|-------|-----|
| 32816051E | 5H | L |
| 32816071E | 7H | L |
| 32816091E | 9H | L |
| 32816111E | 11H | L |
| 32816131E | 13H | L |
| 32816052E | 5H | R |
| 32816072E | 7H | R |
| 32816092E | 9H | R |
| 32816112E | 11H | R |
| 32816132E | 13H | R |



3.5 Distal Medial Tibia Plate II

| P/N(Ti) | Holes | L/R |
|-----------|-------|-----|
| 32808041E | 4H | L |
| 32808061E | 6H | L |
| 32808081E | 8H | L |
| 32808101E | 10H | L |
| 32808121E | 12H | L |
| 32808141E | 14H | L |
| 32808042E | 4H | R |
| 32808062E | 6H | R |
| 32808082E | 8H | R |
| 32808102E | 10H | R |
| 32808122E | 12H | R |
| 32808142E | 14H | R |



4.5 Proximal Medial Tibia Plate II

| P/N(Ti) | Holes | L/R |
|-----------|-------|-----|
| 32809041E | 4H | L |
| 32809051E | 5H | L |
| 32809061E | 6H | L |
| 32809071E | 7H | L |
| 32809081E | 8H | L |
| 32809042E | 4H | R |
| 32809052E | 5H | R |
| 32809062E | 6H | R |
| 32809072E | 7H | R |
| 32809082E | 8H | R |



3.5 Distal Lateral Tibia Plate II

| P/N(Ti) | Holes | L/R |
|-----------|-------|-----|
| 32826041E | 4H | L |
| 32826061E | 6H | L |
| 32826081E | 8H | L |
| 32826101E | 10H | L |
| 32826121E | 12H | L |
| 32826141E | 14H | L |
| 32826161E | 16H | L |
| 32826181E | 18H | L |
| 32826201E | 20H | L |
| 32826042E | 4H | R |
| 32826062E | 6H | R |
| 32826082E | 8H | R |
| 32826102E | 10H | R |
| 32826122E | 12H | R |
| 32826142E | 14H | R |
| 32826162E | 16H | R |
| 32826182E | 18H | R |
| 32826202E | 20H | R |



Proximal Lateral Tibia Plate VI

| P/N(Ti) | Holes | L/R |
|-----------|-------|-----|
| 32829041E | 4H | L |
| 32829051E | 5H | L |
| 32829061E | 6H | L |
| 32829071E | 7H | L |
| 32829081E | 8H | L |
| 32829042E | 4H | R |
| 32829052E | 5H | R |
| 32829062E | 6H | R |
| 32829072E | 7H | R |
| 32829082E | 8H | R |



Ulna Radius LC-LCP

| P/N(Ti) | Holes |
|-----------|-------|
| 32812040E | 4H |
| 32812050E | 5H |
| 32812060E | 6H |
| 32812070E | 7H |
| 32812080E | 8H |
| 32812090E | 9H |
| 32812100E | 10H |
| 32812110E | 11H |
| 32812120E | 12H |



Distal Lateral Femur Plate IV

| P/N(Ti) | Holes | L/R |
|-----------|-------|-----|
| 32814051E | 5H | L |
| 32814071E | 7H | L |
| 32814091E | 9H | L |
| 32814111E | 11H | L |
| 32814131E | 13H | L |
| 32814151E | 15H | L |
| 32814171E | 17H | L |
| 32814052E | 5H | R |
| 32814072E | 7H | R |
| 32814092E | 9H | R |
| 32814112E | 11H | R |
| 32814132E | 13H | R |
| 32814152E | 15H | R |
| 32814172E | 17H | R |



Distal Lateral Fibular Plate VI


| P/N(Ti) | Holes | L/R |
|-----------|-------|-----|
| 32831031E | 3H | L |
| 32831041E | 4H | L |
| 32831051E | 5H | L |
| 32831061E | 6H | L |
| 32831071E | 7H | L |
| 32831081E | 8H | L |
| 32831091E | 9H | L |
| 32831101E | 10H | L |
| 32831111E | 11H | L |
| 32831121E | 12H | L |
| 32831032E | 3H | R |
| 32831042E | 4H | R |
| 32831052E | 5H | R |
| 32831062E | 6H | R |
| 32831072E | 7H | R |
| 32831082E | 8H | R |
| 32831092E | 9H | R |
| 32831102E | 10H | R |
| 32831112E | 11H | R |
| 32831122E | 12H | R |



Locking Compression Plate System


Humerus LC-LCP

| P/N(Ti) | Holes |
|-----------|-------|
| 32811040E | 4H |
| 32811050E | 5H |
| 32811060E | 6H |
| 32811070E | 7H |
| 32811080E | 8H |
| 32811090E | 9H |
| 32811100E | 10H |
| 32811110E | 11H |
| 32811120E | 12H |



Tibia LC-LCP

| P/N(Ti) | Holes |
|-----------|-------|
| 32810050E | 5H |
| 32810060E | 6H |
| 32810070E | 7H |
| 32810080E | 8H |
| 32810090E | 9H |
| 32810100E | 10H |
| 32810110E | 11H |
| 32810120E | 12H |
| 32810130E | 13H |
| 32810150E | 15H |
| 32810170E | 17H |




Femur LC-LCP

| P/N(Ti) | Holes |
|-----------|-------|
| 32805060E | 6H |
| 32805070E | 7H |
| 32805080E | 8H |
| 32805090E | 9H |
| 32805100E | 10H |
| 32805110E | 11H |
| 32805120E | 12H |
| 32805140E | 14H |
| 32805160E | 16H |
| 32805180E | 18H |



Screw Hole Insert

| P/N(TA) | Specification |
|-----------|---------------|
| 41654450E | M4x5 |
| 41651010E | M5x5 |
| 41654565E | M5x6.5 |



Straight Reconstruction Plate II

| P/N(Ti) | Holes |
|-----------|-------|
| 32802040E | 4H |
| 32802050E | 5H |
| 32802060E | 6H |
| 32802070E | 7H |
| 32802080E | 8H |
| 32802090E | 9H |
| 32802100E | 10H |
| 32802110E | 11H |
| 32802120E | 12H |
| 32802140E | 14H |
| 32802160E | 16H |
| 32802180E | 18H |
| 32802200E | 20H |
| 32802220E | 22H |




3.5 Straight Reconstruction Plate II

| P/N(Ti) | Holes |
|-----------|-------|
| 32827060E | 6H |
| 32827070E | 7H |
| 32827080E | 8H |
| 32827090E | 9H |
| 32827100E | 10H |
| 32827110E | 11H |
| 32827120E | 12H |
| 32827140E | 14H |
| 32827160E | 16H |
| 32827180E | 18H |




4.5 Straight Reconstruction Plate II

| P/N(Ti) | Holes |
|-----------|-------|
| 32828030E | 3H |
| 32828040E | 4H |
| 32828050E | 5H |
| 32828060E | 6H |
| 32828070E | 7H |
| 32828080E | 8H |
| 32828090E | 9H |
| 32828110E | 11H |
| 32828130E | 13H |
| 32828150E | 15H |



Clavicle plate II

| P/N(Ti) | Holes | L/R |
|-----------|-------|-----|
| 32846031E | 3H | L |
| 32846032E | 3H | R |
| 32846041E | 4H | L |
| 32846042E | 4H | R |
| 32846051E | 5H | L |
| 32846052E | 5H | R |
| 32846061E | 6H | L |
| 32846062E | 6H | R |
| 32846071E | 7H | L |
| 32846072E | 7H | R |
| 32846081E | 8H | L |
| 32846082E | 8H | R |



4.5 LCP I, Curved

| P/N(Ti) | Holes |
|-----------|-------|
| 32844060E | 6H |
| 32844070E | 7H |
| 32844080E | 8H |
| 32844090E | 9H |
| 32844100E | 10H |
| 32844110E | 11H |
| 32844120E | 12H |
| 32844130E | 13H |
| 32844140E | 14H |
| 32844150E | 15H |
| 32844160E | 16H |
| 32844170E | 17H |
| 32844180E | 18H |



4.5 LCP II, Curved

| P/N(Ti) | Holes |
|-----------|-------|
| 32845060E | 6H |
| 32845070E | 7H |
| 32845080E | 8H |
| 32845090E | 9H |
| 32845100E | 10H |
| 32845110E | 11H |
| 32845120E | 12H |
| 32845130E | 13H |
| 32845140E | 14H |
| 32845150E | 15H |
| 32845160E | 16H |
| 32845170E | 17H |
| 32845180E | 18H |



Less Invasive Distal Femur Locking Plate

| P/N(Ti) | Holes | L/R |
|-----------|-------|-----|
| 32888051E | 5H | L |
| 32888071E | 7H | L |
| 32888091E | 9H | L |
| 32888111E | 11H | L |
| 32888131E | 13H | L |
| 32888052E | 5H | R |
| 32888072E | 7H | R |
| 32888092E | 9H | R |
| 32888112E | 11H | R |
| 32888132E | 13H | R |



Less Invasive Proximal Tibia Locking Plate

| P/N(Ti) | Holes | L/R |
|-----------|-------|-----|
| 32889051E | 5H | L |
| 32889071E | 7H | L |
| 32889091E | 9H | L |
| 32889111E | 11H | L |
| 32889131E | 13H | L |
| 32889052E | 5H | R |
| 32889072E | 7H | R |
| 32889092E | 9H | R |
| 32889112E | 11H | R |
| 32889132E | 13H | R |



Ø3.5 Locking Screws

| P/N(TA) | Diameter | Length |
|-----------|----------|--------|
| 42651010E | 3.5mm | 10mm |
| 42651012E | 3.5mm | 12mm |
| 42651014E | 3.5mm | 14mm |
| 42651016E | 3.5mm | 16mm |
| 42651018E | 3.5mm | 18mm |
| 42651020E | 3.5mm | 20mm |
| 42651022E | 3.5mm | 22mm |
| 42651024E | 3.5mm | 24mm |
| 42651026E | 3.5mm | 26mm |
| 42651028E | 3.5mm | 28mm |
| 42651030E | 3.5mm | 30mm |
| 42651035E | 3.5mm | 35mm |
| 42651040E | 3.5mm | 40mm |
| 42651045E | 3.5mm | 45mm |
| 42651050E | 3.5mm | 50mm |
| 42651055E | 3.5mm | 55mm |
| 42651060E | 3.5mm | 60mm |
| 42651065E | 3.5mm | 65mm |



Locking Compression Plate System

Ø5.0 Self-drilling Locking Screw

| P/N(TA) | Diameter | Length |
|-----------|----------|--------|
| 41652018E | 5.0mm | 18mm |
| 41652020E | 5.0mm | 20mm |
| 41652022E | 5.0mm | 22mm |
| 41652024E | 5.0mm | 24mm |
| 41652026E | 5.0mm | 26mm |
| 41652028E | 5.0mm | 28mm |
| 41652030E | 5.0mm | 30mm |
| 41652032E | 5.0mm | 32mm |
| 41652034E | 5.0mm | 34mm |
| 41652036E | 5.0mm | 36mm |
| 41652038E | 5.0mm | 38mm |
| 41652040E | 5.0mm | 40mm |
| 41652045E | 5.0mm | 45mm |
| 41652050E | 5.0mm | 50mm |
| 41652055E | 5.0mm | 55mm |
| 41652060E | 5.0mm | 60mm |
| 41652065E | 5.0mm | 65mm |
| 41652070E | 5.0mm | 70mm |
| 41652075E | 5.0mm | 75mm |
| 41652080E | 5.0mm | 80mm |
| 41652085E | 5.0mm | 85mm |



Ø5.0 Locking Screws

| P/N(TA) | Diameter | Length |
|-----------|----------|--------|
| 41651018E | 5.0mm | 18mm |
| 41651020E | 5.0mm | 20mm |
| 41651022E | 5.0mm | 22mm |
| 41651024E | 5.0mm | 24mm |
| 41651026E | 5.0mm | 26mm |
| 41651028E | 5.0mm | 28mm |
| 41651030E | 5.0mm | 30mm |
| 41651032E | 5.0mm | 32mm |
| 41651034E | 5.0mm | 34mm |
| 41651036E | 5.0mm | 36mm |
| 41651038E | 5.0mm | 38mm |
| 41651040E | 5.0mm | 40mm |
| 41651042E | 5.0mm | 42mm |
| 41651044E | 5.0mm | 44mm |
| 41651046E | 5.0mm | 46mm |
| 41651048E | 5.0mm | 48mm |
| 41651050E | 5.0mm | 50mm |
| 41651055E | 5.0mm | 55mm |
| 41651060E | 5.0mm | 60mm |
| 41651065E | 5.0mm | 65mm |
| 41651070E | 5.0mm | 70mm |
| 41651075E | 5.0mm | 75mm |
| 41651080E | 5.0mm | 80mm |
| 41651085E | 5.0mm | 85mm |
| 41651090E | 5.0mm | 90mm |



Ø6.5 Self-drilling Locking Screw

| P/N(TA) | Diameter | Length |
|-----------|----------|--------|
| 41653035E | 6.5mm | 35mm |
| 41653040E | 6.5mm | 40mm |
| 41653045E | 6.5mm | 45mm |
| 41653050E | 6.5mm | 50mm |
| 41653055E | 6.5mm | 55mm |
| 41653060E | 6.5mm | 60mm |
| 41653065E | 6.5mm | 65mm |
| 41653070E | 6.5mm | 70mm |
| 41653075E | 6.5mm | 75mm |
| 41653080E | 6.5mm | 80mm |
| 41653085E | 6.5mm | 85mm |
| 41653090E | 6.5mm | 90mm |
| 41653095E | 6.5mm | 95mm |
| 41653100E | 6.5mm | 100mm |
| 41653105E | 6.5mm | 105mm |
| 41653110E | 6.5mm | 110mm |
| 41653115E | 6.5mm | 115mm |
| 41653120E | 6.5mm | 120mm |



Instrument-Small LCP

| P/N | Description | Quantity |
|-----------|---|----------|
| 10700100E | Periosteal Elevator, Large | 2 |
| 10700200E | Periosteal Elevator, Small | 2 |
| 10700300E | Retractor, Small | 1 |
| 10704500E | Drill Bit, Ø2.5 mm | 2 |
| 10700635E | Drill Bit, Ø3.5 mm | 2 |
| 10702800E | Tap for 3.5 mm Cortex Screw | 1 |
| 18700300E | Countersink | 1 |
| 10701000E | Double Drill Guide II, Ø2.5-3.6 | 1 |
| 10701300E | Depth Gauge for 3.5/4.0 mm Screws | 1 |
| 15701400E | Screwdriver, SW2.5 | 1 |
| 10701500E | Bone Holding Forceps, Self-centering, Speedlock | 2 |
| 10701600E | Reduction Forceps, serrated jaws, Small | 1 |
| 10701700E | Reduction Forceps, with points, Small | 1 |
| 10901600E | Screw Holder | 1 |
| 12400100E | Drill Guide, Ø2.8 | 2 |
| 12500100E | Extended Drill Guide, Ø2.8 | 2 |
| 10799010E | Drill Stop, Ø2.8 | 2 |
| 12402000E | Torque Limiting Screwdriver, Small | 1 |
| 18700400E | Torque Limiter, 0.8N.m | 1 |
| 15799009E | Stardrive Screwdriver, Ø2.8 | 2 |
| 12500700E | Stardrive Screwdriver, Ø2.8 | 1 |
| 12500500E | Drill Bit, Ø2.8 | 2 |
| 12400300E | Screw Holder, Small | 2 |
| 18700100E | Drill Guide, Ø2.1 | 2 |
| 18700200E | Drill Bit, Ø2.1 | 2 |
| 12400110E | Insertion Guide Device for 3.5 proximal humeral plate | 1 |
| 10702101E | Plate Bender for Reconstruction A | 1 |
| 10702102E | Plate Bender for Reconstruction B | 1 |
| 18700500E | Stardrive Screwdriver Shaft, Ø2.4 | 2 |
| 14301100E | Stardrive Screwdriver Shaft, Ø2.8 | 2 |
| 12700301E | Stardrive Screwdriver, Ø2.4 | 1 |
| 12700400E | Screw Holder Sleeve | 1 |
| 18704300E | Screw Box | 1 |
| a | Outer Case | 1 |

Instrument-Large LCP

| P/N | Description | Quantity |
|-----------|---|----------|
| 10804500E | Drill Bit, Ø3.2 | 2 |
| 10800945E | Drill Bit, Ø4.5 | 2 |
| 10800100E | Double Drill Guide-1, Ø3.2/Ø4.5 | 1 |
| 10803200E | Tap for HA4.5 | 1 |
| 10803300E | Tap for HB6.5 | 1 |
| 10801200E | Depth Gauge for 4.5/6.5 Screws | 1 |
| 15801400E | Hexagonal Screwdriver, SW3.5 | 1 |
| 10801600E | Periosteal Elevator, Large | 1 |
| 10801700E | Periosteal Elevator, Small | 1 |
| 10901600E | Screw Holder | 1 |
| 10801800E | Retractor, Large | 1 |
| 10700300E | Retractor, Small | 1 |
| 10801900E | Sharp Hook | 2 |
| 10802000E | Countersink | 1 |
| 10802100E | Bone Holding Forceps, Large | 1 |
| 10802200E | Reduction Forceps, serrated jaws, Large | 1 |
| 10802300E | Reduction Forceps, with pointed, Large | 1 |
| 12400800E | Drill Guide, Ø4.3 | 2 |
| 10899016E | Drill Stop, Ø4.3 | 2 |
| 12402100E | Torque Limiting Screwdriver, Large | 1 |
| 10899004E | Stardrive Screwdriver, Ø4.5 | 1 |
| 10899022E | Stardrive Screwdriver Shaft, Ø4.5 | 1 |
| 12500600E | Drill, Ø4.3 | 2 |
| 12400600E | Screw Holder, Large | 1 |
| 10899014E | Threaded Guide Wire, Ø2.3 | 5 |
| 12401100E | Drill Guide, Ø2.3 | 3 |
| 10899013E | Stopper for Drill Bit, Ø5.8 | 2 |
| 10899012E | Drill Bit, Ø5.8, Cannulated | 2 |
| 10900900E | Depth Gauge | 1 |
| 12400200E | Insertion Guide Device for proximal tibial plate, R | 1 |
| 12400400E | Insertion Guide Device for proximal tibial plate, L | 1 |
| 12400500E | Insertion Guide Device for Distal Femoral plate, R | 1 |
| 12400700E | Insertion Guide Device for Distal Femoral plate, L | 1 |
| 18800101E | Cannulated Stadriver, Ø4.5 | 1 |
| 14301000E | Stardrive Screwdriver Shaft, Ø4.5 | 2 |
| 18800400E | Cannulated Stardriver used with Power tool, Ø4.5 | 1 |
| 18804300E | Screw Box | 1 |
| 18804400E | Outer Case | 1 |